



National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
981-0300 / 981-0400 local 1157
<http://www.nkti.gov.ph/>

SUPPLEMENTAL BID BULLETIN NO. 21-082-1

SUPPLY AND DELIVERY OF VARIOUS ENGINEERING SUPPLIES (612 ITEMS-LINE BIDDING)

Bid Reference ITB No. 21-082

This Supplemental Bid Bulletin **No. 21-082-1** is being issued to inform all the prospective bidders on the following amendment:

- a. Section III. Bid Data Sheet**
Please see attached Revised Bid Data Sheet
- b. Section VII. Technical Specifications**
Please see attached Revised Technical Specifications
- c. Section VIII. Checklist of Technical and Financial Documents**
Please see attached Revised Checklist of Technical and Financial Documents

This Supplemental Bid Bulletin including Annexes, if any, shall form part of the Bid Documents. Any provisions in the Bid Documents inconsistent herewith is hereby amended, modified, and superseded accordingly.

For guidance and information of all concerned.

Issued this 11th day of May 2021 in Quezon City.

(SGD)ARNOLD JOSEPH M. FERNANDEZ, MD
BAC, Chairperson

Received by: (PLS SIGN) _____

Bidder's Name: (PLS PRINT) _____

Date: _____



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

Section III.

Revised Bid Data Sheet

NKTI Reference No. IB 21-082



Revised Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ol style="list-style-type: none"> a. Various Engineering Supplies/Construction Supplies. b. The Bidder must have completed within the past five (5) three (3) years a single contract similar to this project, equivalent to at least twenty-five percent (25%) of the ABC prior to the deadline for the submission and receipt of bids.
7.1	<i>Subcontracting is not allowed.</i>
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ol style="list-style-type: none"> a. The amount of not less than <i>two percent (2%) of ABC</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>five percent (5%) of ABC</i> if bid security is in Surety Bond.
15	<p>Each Bidder shall submit one original copy of the first and second <u>components</u> of its Bid arranged, numbered, tabbed in a soft book binded folders.</p> <p>Copy 1 shall be submitted upon receipt of notice from the BAC.</p> <div style="text-align: center;"> <p>SEALING AND MARKING OF BIDS (Two-Envelope System)</p> </div>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

16	<p>The Procuring Entity date and address for the submission and opening of bids:</p> <p style="text-align: center;">May 20, 2021 (Thursday) 9:00 AM</p> <p style="text-align: center;">BAC Conference Room</p> <p style="text-align: center;">G/F NKTi Main Building</p> <p style="text-align: center;">East Avenue, Diliman</p> <p style="text-align: center;">Quezon City</p>															
19.3	<p>Each items to be evaluated and compared with other Bids separately and recommended for contract award separately.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Item No.</th> <th style="text-align: center;">Description</th> <th style="text-align: center;">Qty.</th> <th style="text-align: center;">Unit Cost</th> <th style="text-align: center;">Total ABC (Php)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1-612</td> <td>Supply and Delivery of Various Engineering Supplies (612 Items-Line Bidding) <i>(Please refer to the Bid Proposal Form for the itemized requirement)</i></td> <td></td> <td></td> <td style="text-align: right;">Php 10,857,983.00</td> </tr> <tr> <td colspan="4" style="text-align: center;">TOTAL</td> <td style="text-align: right;">Php 10,857,983.00</td> </tr> </tbody> </table>	Item No.	Description	Qty.	Unit Cost	Total ABC (Php)	1-612	Supply and Delivery of Various Engineering Supplies (612 Items-Line Bidding) <i>(Please refer to the Bid Proposal Form for the itemized requirement)</i>			Php 10,857,983.00	TOTAL				Php 10,857,983.00
Item No.	Description	Qty.	Unit Cost	Total ABC (Php)												
1-612	Supply and Delivery of Various Engineering Supplies (612 Items-Line Bidding) <i>(Please refer to the Bid Proposal Form for the itemized requirement)</i>			Php 10,857,983.00												
TOTAL				Php 10,857,983.00												
19.4	<p>The Project shall be awarded as follows:</p> <p>Option 3 – One Project having several items, which shall be awarded as separate contracts per item.</p>															
20.2	<p>The LCB shall submit the following documentary requirements within a non-extendible period of five (5) calendar days from receipt of the notification.</p> <ul style="list-style-type: none"> (a) Original/Certified true copy of Latest income and business tax returns; (b) Original/Certified true copy of other appropriate licenses and permits required by law and stated in the Bidding Documents. (If Applicable); (c) Original/Certified true copy of Bureau of Internal Revenue (BIR) Registration Certificate or equivalent for foreign bidder; (d) Certified True Copy of the latest <u>General Information Sheet (GIS)</u> duly filed and received by SEC, or equivalent for foreign bidder; 															



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

	(e) Certificate of <u>PhilGEPS Registration (Platinum Member)</u>																												
21.1	<p>The LCB shall submit the following additional documents in two (2) sets within a non-extendible period of five (5) calendar days from receipt of the notification.</p> <ol style="list-style-type: none"> a. Original/ Certified true copy of Certificate of Satisfactory Performance bearing the client’s logo and contact information excluding National Kidney and Transplant Institute; b. Certificate of Warranty that all materials and parts as Construction Supplies and Materials are brand new, free from defects and strictly in accordance with the Technical Specification and essential technical performance characteristics of the Construction Supplies and Materials. Warranty is applicable to the Engineering supplies, such as but not limited to the following: <table border="1" data-bbox="328 936 1358 1541" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Description</th> <th style="text-align: center;">Shelf Life from date delivery</th> <th style="text-align: center;">Description</th> <th style="text-align: center;">Warranty Period</th> </tr> </thead> <tbody> <tr> <td>Paints (latex, oil-based, acrylic, alkyd, epoxy, etc.)</td> <td style="text-align: center;">6 months</td> <td>Faucet, Shower set, Flusher</td> <td style="text-align: center;">1 year</td> </tr> <tr> <td>Sealants, Contact Cement, Wood Glue, Fillers, etc.</td> <td style="text-align: center;">1 year</td> <td>Lockset and doorknobs</td> <td style="text-align: center;">1 year</td> </tr> <tr> <td>Epoxy (Marine, fiber joint cement)</td> <td style="text-align: center;">6 months</td> <td>Actuator Valve</td> <td style="text-align: center;">1 year</td> </tr> <tr> <td>Thinner (Paint, Lacquer)</td> <td style="text-align: center;">1 year</td> <td>Thermostat Control</td> <td style="text-align: center;">1 year</td> </tr> <tr> <td>Solvents</td> <td style="text-align: center;">1 year</td> <td>LED Bulbs and Lamps</td> <td style="text-align: center;">At least 2 years</td> </tr> <tr> <td>Tile Adhesive, Cement</td> <td style="text-align: center;">6 months</td> <td>Fluorescent lamps</td> <td style="text-align: center;">At least 1 year</td> </tr> </tbody> </table>	Description	Shelf Life from date delivery	Description	Warranty Period	Paints (latex, oil-based, acrylic, alkyd, epoxy, etc.)	6 months	Faucet, Shower set, Flusher	1 year	Sealants, Contact Cement, Wood Glue, Fillers, etc.	1 year	Lockset and doorknobs	1 year	Epoxy (Marine, fiber joint cement)	6 months	Actuator Valve	1 year	Thinner (Paint, Lacquer)	1 year	Thermostat Control	1 year	Solvents	1 year	LED Bulbs and Lamps	At least 2 years	Tile Adhesive, Cement	6 months	Fluorescent lamps	At least 1 year
Description	Shelf Life from date delivery	Description	Warranty Period																										
Paints (latex, oil-based, acrylic, alkyd, epoxy, etc.)	6 months	Faucet, Shower set, Flusher	1 year																										
Sealants, Contact Cement, Wood Glue, Fillers, etc.	1 year	Lockset and doorknobs	1 year																										
Epoxy (Marine, fiber joint cement)	6 months	Actuator Valve	1 year																										
Thinner (Paint, Lacquer)	1 year	Thermostat Control	1 year																										
Solvents	1 year	LED Bulbs and Lamps	At least 2 years																										
Tile Adhesive, Cement	6 months	Fluorescent lamps	At least 1 year																										

Section VII.

Revised Technical Specifications

NKTI Reference No. IB 21-082



Section VII.

Revised Technical Specifications

Instruction:

Bidders must state in the column provided either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

Item No.	Items/Supplies	Brand Name Offered	Statement of Compliance
1	Acrylic Based, Latex Color; Hansa Yellow		
2	Acrylic Based, Latex Color; Lamp Black		
3	Acrylic Based; Latex Color; Raw Sienna		
4	Adapter, Male, Copper, 1"Ø		
5	Adapter, Male, Copper, 1/2"Ø		
6	Adapter, Male, Copper, 3/4"Ø		
7	Adapter, Male, Copper, 5/8"Ø		
8	Adaptor, Male, PVC Pipe, 1/2"Ø		
9	Adaptor, Male, PVC Pipe, 3/4"Ø		
10	Adhesive, Contact Cement; All-purpose, No Odor		
11	Angle Valve, 1/2" x 1/2"		
12	Ballast, Electronic, 1 x 18W T8, 198-264V, 50/60Hz, IP20, Temperature protection as per EN 61347-2-3 C5e, Energy Efficiency Index A2, w/ over voltage protection 320Vac in 1 Hr, defined warm start =1.5 second, automatic start after re-lamping, push terminal		
13	Ballast, Electronic, 1 x 36W T8, 198-264V, 50/60Hz, IP20, Temperature protection as per EN 61347-2-3 C5e, Energy Efficiency Index A2, w/ over voltage protection 320Vac in 1		

CONFORME:
(Company Name)
(Name and Signature of Authorized Representative)



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

	Hr, defined warm start =1.5 second, automatic start after re-lamping, push terminal		
14	Ballast, Electronic, 2 x 18W T8, 198-264V, 50/60Hz, IP20, Temperature protection as per EN 61347-2-3 C5e, Energy Efficiency Index A2, w/ over voltage protection 320Vac in 1 Hr, defined warm start =1.5 second, automatic start after re-lamping, push terminal		
15	Ballast, Electronic, 2 x 36W T8, 198-264V, 50/60Hz, IP20, Temperature protection as per EN 61347-2-3 C5e, Energy Efficiency Index A2, w/ over voltage protection 320Vac in 1 Hr, defined warm start =1.5 second, automatic start after re-lamping, push terminal		
16	Bar, Angle, 3/16" (±4mm-6mm) x 1-1/2" x 1-1/2" x 20ft		
17	Bar, Angle, 1/4" (±4mm-6mm) x 2" x 2" x 20ft		
18	Bar, Angle, 1/8" (3mm) x 1" x 1" x 20ft		
19	Bar, Deformed, 10mm x 20ft Grade 33		
20	Bar, Deformed, 12mm x 20ft Grade 33		
21	Bar, Flat, 1/4"(±4mm-6mm) thk x 1" x 20ft		
22	Bar, Flat, 1/4" (±4mm-6mm) thk x 2" x 20ft		
23	Bar, Flat, 1/8" (3mm) thk x 1" x 20ft		
24	Bar, Flat, 3/16" (±4mm-6mm) thk x 2" x 20ft		
25	Barrel Bolt, 100mm.		
26	Barrel Bolt, 50mm.		
27	Barrel Bolt, 75mm.		
28	Basahan Round color White		
29	Battery, Rechargeable, Sealed Lead Acid, 12V 7.2AH		
30	Battery, Rechargeable, Sealed Lead Acid, 6V 4AH		
31	Battery, Rechargeable, Sealed Lead Acid, 6V 7AH		
32	Bearing, Ball 6001ZZ		
33	Bearing, Ball 6002ZZ		

CONFORME:
(Company Name)
(Name and Signature of Authorized Representative)



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

34	Bearing, Ball 6003ZZ		
35	BEARING, BALL 6004ZZ		
36	Bearing, Ball 6201ZZ		
37	Bearing, Ball 6202ZZ		
38	Bearing, Ball 6203ZZ		
39	Bearing, Ball 6204ZZ		
40	Bearing, Ball 6205ZZ		
41	Bearing, Ball 6301ZZC3		
42	Bearing, Ball 6302ZZC3		
43	Bearing, Ball 6303ZZC3		
44	Bearing, Ball 6304ZZC3		
45	BEARING, BALL 6306ZZC3		
46	Bearing, Ball 6307ZZC3		
47	Bearing, Ball 6310ZZC3		
48	Bearing, Ball 6312ZZC3		
49	Bearing, Ball 6315ZZC3		
50	Bearing, Pillow Block, P201		
51	Bearing, Pillow Block, P202		
52	Bearing, Pillow Block, P203		
53	Bearing, Pillow Block, P204		
54	Bearing, Pillow Block, P205		
55	Bearing, Pillow Block, P206		
56	Bearing, Pillow Block, P207		
57	Bearing, Pillow Block, UCP-206		
58	Bearing, Pillow Block, UCP-207		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

59	Bearing, Pillow Block, UCP-212		
60	Bearing, Pillow Block, UCP-218		
61	Bidet & Sprayer, Universal		
62	Blade, Hacksaw, 24 Teeth/inch		
63	Board, Fiber Cement, 4' x 8' x 1/4"		
64	Board, Gypsum, 4' x 8' x 12mm.		
65	Bolt, Hexagonal, Stainless Steel, 1/2" x 1", w/ nut, flat & spring washer		
66	Bolt, Hexagonal, Stainless Steel, 1/2" x 1-1/2", w/ nut, flat & spring washer		
67	Bolt, Hexagonal, Stainless Steel, 1/2" x 2", w/ nut, flat & spring washer		
68	Bolt, Hexagonal, Stainless Steel, 1/2" x 2-1/2", w/ nut, flat & spring washer		
69	Bolt, Hexagonal, Stainless Steel, 1/2" x 3", w/ nut, flat & spring washer		
70	Bolt, Hexagonal, Stainless Steel, 1/4" x 1", w/ nut, flat & spring washer		
71	Bolt, Hexagonal, Stainless Steel, 1/4" x 1-1/2", w/ nut, flat & spring washer		
72	Bolt, Hexagonal, Stainless Steel, 1/4" x 2", w/ nut, flat & spring washer		
73	Bolt, Hexagonal, Stainless Steel, 1/4" x 2-1/2", w/ nut, flat & spring washer		
74	Bolt, Hexagonal, Stainless Steel, 3/16" x 1", w/ nut, flat & spring washer		
75	Bolt, Hexagonal, Stainless Steel, 3/16" x 1-1/2", w/ nut, flat & spring washer		
76	Bolt, Hexagonal, Stainless Steel, 3/16" x 2", w/ nut, flat & spring washer		
77	Bolt, Hexagonal, Stainless Steel, 3/16" x 2-1/2", w/ nut, flat & spring washer		

CONFORME:
(Company Name)
(Name and Signature of Authorized Representative)



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

78	Bolt, Hexagonal, Stainless Steel, 3/8" x 1", w/ nut, flat & spring washer		
79	Bolt, Hexagonal, Stainless Steel, 3/8" x 1-1/2", w/ nut, flat & spring washer		
80	Bolt, Hexagonal, Stainless Steel, 3/8" x 2", w/ nut, flat & spring washer		
81	Bolt, Hexagonal, Stainless Steel, 3/8" x 2-1/2", w/ nut, flat & spring washer		
82	Bolt, Hexagonal, Stainless Steel, 5/8" x 1", w/ nut, flat & spring washer		
83	Bolt, Hexagonal, Stainless Steel, 5/8" x 1-1/2", w/ nut, flat & spring washer		
84	Bolt, Hexagonal, Stainless Steel, 5/8" x 2", w/ nut, flat & spring washer		
85	Bolt, Hexagonal, Stainless Steel, 5/8" x 2-1/2", w/ nut, flat & spring washer		
86	Boral Powder		
87	Box, Junction, G.I., Deep type, 4" x 4" gal16 w/ cover		
88	Box, Pull, 12" x 12" x 8", gal16 w/ cover, powder coated gray		
89	Box, Pull, 24" x 24"x 8", gal16 w/ cover, powder coated gray		
90	Box, Square, G.I., Deep type, 4-11/16" x 4-11/16" gal16 w/ cover		
91	Box, Switch, G.I., 2"x4" surface mount		
92	Box, Switch, PVC, 2"x4", White surface mount		
93	Brush, Finishing paint, #1-1/2"		
94	Brush, Paint, #1"		
95	Brush, Paint, #2"		
96	Brush, Paint, #3"		
97	Brush, Paint, #4"		
98	Brush, Steel		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

99	Bulb, Incandescent, E27, 50W, 240V, Frosted		
100	Bulb, LED, 3W, 100~240V, E27, Daylight		
101	Bulb, LED, 3W, 100~240V, E27, Warm White		
102	Bulb, LED, 9W, 100~240V, E27		
103	Bulb, LED, MR16, 3W, 12V, GU5.3, open		
104	Cable Ties, Plastic, 2.5mm x 100mm (100pcs/pack)		
105	Cable Ties, Plastic, 3.6mm x 150mm (100pcs/pack)		
106	Cable Ties, Plastic, 8mm x 340mm (100pcs/pack)		
107	Calcium Hypochloride Liquid Type (20liter/jug)		
108	Capacitor 10 μ f 450Vac		
109	Capacitor 40 μ f \pm 5% 370Vac		
110	Capacitor 40 μ f 450Vac		
111	Capacitor 50 μ f 370Vac		
112	Capacitor 50 μ f 450Vac		
113	Capacitor 65 μ f 450Vac		
114	Capacitor, 130-156 μ F 220Vac		
115	Capacitor, 15 μ F 450Vac		
116	Capacitor, 23 μ F 400Vac		
117	Capacitor, 25+3 μ F \pm 5%SH 450Vac		
118	Capacitor, 30+3 μ F \pm 5%SH 450Vac		
119	Capacitor, 30+7 μ F 370V		
120	Capacitor, 65+5 μ F 450Vac		
121	Capacitor, 65+7.5 μ F 440Vac		
122	Capacitor, 7.5 μ F \pm 5%, 440Vac		
123	Caustic Soda Liquid Type (20liter/pail)		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

124	Cement, Portland (Type 1)		
125	Channel, Uni-strut, 1-1/2" x 1-1/2" x 10ft gal6		
126	Circuit Breaker, 100A 2P, 10 KAIC, bolt-on type		
127	Circuit Breaker, 100A 2P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
128	Circuit Breaker, 100A 3P, 10 KAIC, bolt-on type		
129	Circuit Breaker, 100A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
130	Circuit Breaker, 100A, 2P, 10kAIC, Plug-in type		
131	Circuit Breaker, 100A, 3P, 10kAIC, Plug-in type		
132	Circuit Breaker, 125A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
133	Circuit Breaker, 200A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
134	Circuit Breaker, 20A 2P, 10 KAIC, bolt-on type		
135	Circuit Breaker, 20A 3P, 10 KAIC, bolt-on type		
136	Circuit Breaker, 20A, 2P, 10kAIC, Plug-in type		
137	Circuit Breaker, 20A, 3P, 10kAIC, Plug-in type		
138	Circuit Breaker, 250A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
139	Circuit Breaker, 30A 2P, 10 KAIC, bolt-on type		
140	Circuit Breaker, 30A 2P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
141	Circuit Breaker, 30A 3P, 10 KAIC, bolt-on type		
142	Circuit Breaker, 30A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
143	Circuit Breaker, 30A, 2P, 10kAIC, Plug-in type		
144	Circuit Breaker, 30A, 3P, 10kAIC, Plug-in type		
145	Circuit Breaker, 40A 2P, 10 KAIC, bolt-on type		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

146	Circuit Breaker, 40A 2P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
147	Circuit Breaker, 40A 3P, 10 KAIC, bolt-on type		
148	Circuit Breaker, 40A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
149	Circuit Breaker, 40A, 2P, 10kAIC, Plug-in type		
150	Circuit Breaker, 40A, 3P, 10kAIC, Plug-in type		
151	Circuit Breaker, 500A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
152	Circuit Breaker, 50A 2P, 10 KAIC, bolt-on type		
153	Circuit Breaker, 50A 2P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
154	Circuit Breaker, 50A 3P, 10 KAIC, bolt-on type		
155	Circuit Breaker, 50A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
156	Circuit Breaker, 50A, 2P, 10kAIC, Plug-in type		
157	Circuit Breaker, 50A, 3P, 10kAIC, Plug-in type		
158	Circuit Breaker, 60A 2P, 10 KAIC, bolt-on type		
159	Circuit Breaker, 60A 2P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
160	Circuit Breaker, 60A 3P, 10 KAIC, bolt-on type		
161	Circuit Breaker, 60A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
162	Circuit Breaker, 60A, 2P, 10kAIC, Plug-in type		
163	Circuit Breaker, 60A, 3P, 10kAIC, Plug-in type		
164	Circuit Breaker, 70A 2P, 10 KAIC, bolt-on type		
165	Circuit Breaker, 70A 2P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
166	Circuit Breaker, 70A 3P, 10 KAIC, bolt-on type		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

167	Circuit Breaker, 70A 3P, 25 KAIC@240V, bolt-on, Industrial type w/ cable lugs		
168	Circuit Breaker, 70A, 2P, 10kAIC, Plug-in type		
169	Circuit Breaker, 70A, 3P, 10kAIC, Plug-in type		
170	Circuit Breaker, No Fuse 125A, 3P, 460V, 18KAIC, Bolt-on type Industrial type		
171	Circuit Breaker, No Fuse 150A, 3P, 460V, 18KAIC, Bolt-on type Industrial type		
172	Circuit Breaker, No Fuse 200A, 3P, 460V, 18KAIC, Bolt-on type Industrial type		
173	Clamp, Uni-strut, 1"Ø		
174	Clamp, Uni-strut, 1/2"Ø		
175	Clamp, Uni-strut, 2"Ø		
176	Clamp, Uni-strut, 3/4"Ø		
177	Coil Cleaner (for AHU's), 30 liters/jug		
178	Concrete Hollow Blocks, 4"		
179	Concrete Neutralizer		
180	Conduit, EMT, 1"Ø x 10ft		
181	Conduit, EMT, 1/2"Ø x 10ft		
182	Conduit, EMT, 3/4"Ø x 10ft		
183	Conduit, Flexible Hose, PVC, 1/2"Ø x 100m		
184	Conduit, Flexible Metal w/ PVC coated, 1/2"Ø x 30m		
185	Conduit, Liquidtight Flexible, Non-metallic, 1/2"Ø		
186	Conduit, Liquidtight Flexible, Non-metallic, 3/4"Ø		
187	Conduit, Liquidtight Flexible, Non-metallic, 1"Ø		
188	Conduit, PVC Pipe, Electrical, 1/2"Ø x 10ft		
189	Conduit, PVC Pipe, Electrical, 3/4"Ø x 10ft		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

190	Connector, Coaxial Cable, Compression F-Type, RG-6		
191	Connector, Liquidtight Flexible, Non-metallic, 1"Ø		
192	Connector, Liquidtight Flexible, Non-metallic, 1/2"Ø		
193	Connector, Liquidtight Flexible, Non-metallic, 3/4"Ø		
194	Connector, Straight, Flexible Metal, 3/4"Ø, Compression type, w/ locknut & bushing, UL Listed		
195	Connector, EMT, 1/2"Ø, Set screw type, UL Listed		
196	Contact Cleaner		
197	Convenience Outlet, Duplex, Flat pin, w/ ground, Modern Series		
198	Convenience Outlet, Duplex, Universal, w/ ground, Wide Series		
199	Convenience Outlet, Single, Flat pin, w/ ground, Modern Series		
200	Convenience Outlet, Single, Universal, w/ ground, Wide Series		
201	Convenience Outlet, Twist-lock, 3-wire, 20A 250V, NEMA L6-20R, Modern Series		
202	Cord, Flat, Stranded, #12AWG, Black (150m/roll)		
203	Coupling, EMT, 1/2"Ø, Set screw type		
204	Coupling, EMT, 3/4"Ø, Set screw type		
205	Cover, Touch plate, 1-Gang 1-Device, Center, Wide series		
206	Cover, Touch plate, 1-Gang 1-Device, Modern series		
207	Cover, Touch plate, 1-Gang 2-Device, Modern series		
208	Cover, Touch plate, 1-Gang 3-Device, Modern series		
209	Cover, Blank, Modern series		
210	Cover, Blank, Wide series		
211	Cover, Touch plate, 1-Gang 1-Device, Wide series		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

212	Cover, Touch plate, 1-Gang 2-Device, Wide series		
213	Cover, Touch plate, 1-Gang 3-Device, Wide series		
214	Cutting Disc, Metal, 4"		
215	Declogger, 4 liters/gal		
216	Degreaser, Water soluble, 20L/Jug		
217	Door Closer, Heavy Duty (80kg)		
218	Door Closer, Slim Type (45kg)		
219	Door Hinges, Barrel Type; 4" x 4" x 3mm.; Stainless Steel Finish		
220	Door Hinges, Butt Type; 4" x 3" x 3mm.; Stainless Steel		
221	Door Hinges, Butt Type; 4" x 4" x 3mm.; Stainless Steel		
222	Door Holder, Spring Action, 4 5/8"; Bright Chrome Plated Finish		
223	Door Knob, Keyed Entrance Lock, Lever Type; Satin Chrome Finish		
224	Door Knob, Keyed Entrance Lock, Orbit Type; Satin Chrome Finish		
225	Door Knob, Privacy Lock, Lever Type; Satin Chrome Finish		
226	Door Knob, Privacy Lock, Orbit Type; Satin Chrome Finish		
227	Door Stopper, Magnetic Type, 3"; Brushed Nickel Finish		
228	Door, PVC with louver complete accessories; Mahogany, Wood Grain Finish; Size: 900mm x 2150mm		
229	Drawer Handle, Ordinary Type, 3"		
230	Drill Bit, Masonry, 1/2"		
231	Drill Bit, Masonry, 1/4"		
232	Drill Bit, Masonry, 1/8"		
233	Drill Bit, Masonry, 3/16"		
234	Drill Bit, Masonry, 3/8"		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

235	Drill Bit, Metal, 1/2"		
236	Drill Bit, Metal, 1/4"		
237	Drill Bit, Metal, 1/8"		
238	Drill Bit, Metal, 3/16"		
239	Drill Bit, Metal, 3/8"		
240	Elastomeric Sealant, Polychloroprene rubber-based (4liter/gal)		
241	Elastomeric Sealant, Polychloroprene rubber-based, (1/4liter/can)		
242	Elbow, Copper, 1" x 90°		
243	Elbow, Copper, 1/2" x 90°		
244	Elbow, Copper, 3/4" x 90°		
245	Elbow, Copper, 5/8" x 90°		
246	Elbow, EMT, 1/2"Ø x 90°		
247	Elbow, PVC, 1/2"Ø x 90°, Electrical		
248	Enamel, Quick Dry, Water Based, Low-Odor; White		
249	Enamel, Quick Dry; Lemon Yellow		
250	Epoxy Primer, with curing agent; Gray		
251	Epoxy Reducer		
252	Epoxy, Self-Levelling Floor Coating; Canary Yellow		
253	Epoxy, Self-Levelling Floor Coating; Dark Velvet Gray		
254	Epoxy, Self-Levelling Floor Coating; Tropical Green		
255	Epoxy, Fiber joint cement, A & B;in Gallon		
256	Epoxy, Marine, A & B; in Gallon		
257	Faucet, Kitchen Sink-gooseneck type, lever handle/single hole; wall mounted		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

258	Faucet, Kitchen Sink-gooseneck type, Single hole/handle; counter mounted (Hot and Cold)		
259	Faucet, Lever Type-Single hole; Counter mounted (Hot/Cold)		
260	Faucet, Center set-Metal handle, Double hole; Counter mounted		
261	Faucet, Gasket		
262	Faucet, Heavy Duty Pre-Rinse Assembly, Double Hole, Wall-mounted, 8" on center (Hot & Cold)		
263	Faucet, Kitchen Sink, Lever type - Single hole		
264	Faucet, Ordinary, 1/2"Ø w/ hosebibb 3/4Ø, Brass		
265	Faucet, PVC, 1/2"Ø w/ hosebibb 3/4"Ø		
266	Faucet, Single hole; Counter mounted (Cold)		
267	Faucet, Steam Valve/ Cartridge		
268	Filter, Synthetic Media, 10mm thk x 1m x 20m		
269	Floor Drain, Stainless, 4" x 4" w/ strainer		
270	Floor Hinges, Door Closer, Center Hung, Double Action with 90deg. Stop-Device 2 Section Speed Adjustment Valve		
271	Formica/Laminated Sheet, 1.2mm thick x 4' x 8'; White, Gloss Fin.		
272	Formica/Laminated Sheet, 1.2mm thick x 4' x 8'; Woodgrain Fin.		
273	G.I. Sheet, 4 ft.x 8 ft. Ga.# 22; Plain		
274	G.I. Sheet, 4 ft.x 8 ft. Ga.# 24; Plain		
275	G.I. Wire, Ga. #14		
276	G.I. Wire, Ga. #16		
277	G.I., Coupling 1" Ø Sched. 40		
278	G.I., Coupling 1/2" Ø Sched. 40		
279	G.I., Coupling 3/4" Ø Sched. 40		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

280	G.I., Elbow 1/2" Ø 90deg. Sched. 40		
281	G.I., Elbow 3/4" Ø 90deg. Sched. 40		
282	G.I., Female Plug 1" Ø, Sched. 40		
283	G.I., Female Plug 1/2" Ø, Sched. 40		
284	G.I., Female Plug 3/4" Ø, Sched. 40		
285	G.I., Male Plug 1" Ø, Sched. 40		
286	G.I., Male Plug 1/2" Ø, Sched. 40		
287	G.I., Male Plug 3/4" Ø, Sched. 40		
288	G.I., Reducer Female to Male 1/2" x 3/4" Sched. 40		
289	G.I., Reducer Female to Male 1/2" x 1" Sched. 40		
290	G.I., Reducer Female to Male 3/4" x 1" Sched. 40		
291	G.I., Reducer, Coupling 1/2"x 1" Ø Sched. 40		
292	G.I., Reducer, Coupling 1/2"x 3/4" Ø Sched. 40		
293	G.I., Reducer, Coupling 3/4"x 1" Ø Sched. 40		
294	G.I., Tee, 1" Ø; Sched. 40		
295	G.I., Tee, 1/2" Ø; Sched. 40		
296	G.I., Tee, 3/4" Ø; Sched. 40		
297	Gas Outlet, Compressed air, DISS Type, Color coded latch valve assembly (yellow)		
298	Gas Outlet, Oxygen, DISS Type, Color coded latch valve assembly (green)		
299	Gas Outlet, Vacuum, DISS Type, Color coded latch valve assembly (white)		
300	Grease, High Temp., 16kgs/pail		
301	Grinding Disc, Metal, 4"		
302	Handle, Cabinet C-Type/Size 3"; Satin Chrome Finish		
303	Handle, Cabinet C-Type/Size 4"; Satin Chrome Finish		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

304	Handle, Aluminum-Glass Window/Left; Analoc Finish		
305	Handle, Aluminum-Glass Window/Right; Analoc Finish		
306	Handle, Cabinet C-Type/Size 4"; PVC; White		
307	Hasp, Safety Ordinary, 3"		
308	Hasp, Safety with Cylinder Lock, 4"		
309	Hinges, Cabinet-Concealed Type, Inset/Hydraulic; Nickel Plated Finish		
310	Hinges, Cabinet-Concealed Type, Semi Lap-Hydraulic; Nickel Plated Finish		
311	Hinges, Cabinet-Concealed Type, Full Overlay/Hydraulic; Nickel Plated Finish		
312	Hose, Flexible 1/2"Ø x 1/2"Ø x 12"		
313	Insulation, Polyethylene foam, 1" Thick x 1m, w/ self-adhesive with one side foil		
314	Insulation, Polyethylene foam, 1/2" Thick x 1m, w/ self-adhesive with one side foil		
315	Insulation, Polyethylene foam, 3/4" Thick x 1m, w/ self-adhesive with one side foil		
316	Insulation, Tube, Rubber, 1-1/8"Ø x 1/2" thk x 6ft		
317	Insulation, Tube, Rubber, 3/4"Ø x 1-1/2" thk x 6ft		
318	Insulation, Tube, Rubber, 1-1/8"Ø x 1" thk x 6ft		
319	Insulation, Tube, Rubber, 1-1/8"Ø x 2" thk x 6ft		
320	Insulation, Tube, Rubber, 1/2"Ø x 1" thk x 6ft		
321	Insulation, Tube, Rubber, 1/2"Ø x 1/2" thk x 6ft		
322	Insulation, Tube, Rubber, 1/2"Ø x 3/4" thk x 6ft		
323	Insulation, Tube, Rubber, 3/4"Ø x 1/2" thk x 6ft		
324	Insulation, Tube, Rubber, 3/4"Ø x 3/4" thk x 6ft		
325	Insulation, Tube, Rubber, 3/8"Ø x 1/2" thk x 6ft		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

326	Insulation, Tube, Rubber, 5/8"Ø x 3/4" thk x 6ft		
327	Insulation, Tube, Rubber, 7/8"Ø x 1" thk x 6ft		
328	Lacquer, Automotive; Lamp Black		
329	Lacquer, Automotive; Lemon yellow		
330	Lacquer, Automotive; White		
331	Lacquer, Primer Surfacer		
332	Lacquer, Sanding Sealer		
333	Lamp, Fluorescent, Linear, 14 Watts T5, 240 Vac, 60 Hz, Daylight		
334	Lamp, Fluorescent, Linear, 28 Watts T5, 240 Vac, 60 Hz, Daylight		
335	Lamp, Fluorescent, Linear, 8 Watts T5, 240 Vac, 60 Hz, Daylight		
336	Lamp, LED, Linear, 16W, 100~240V, T8 G13 Daylight, Single-End AC Input		
337	Lamp, LED, Linear, 8W, 100~240V, T8 G13, Daylight, Single-End AC Input		
338	Lamp, Fluorescent, Circular, 22 Watts, 240 Vac, 60 Hz Daylight		
339	Lamp, Fluorescent, Circular, 32 Watts, 240 Vac, 60 Hz Daylight		
340	Latex, Flat (16liters/tin); White		
341	Latex, Flat (4liters/gal); White		
342	Latex, Gloss (16liters/tin); White		
343	Latex, Gloss (4liters/gal); White		
344	Lavatory, Pedestal only; Color: Beige		
345	Lavatory, Pedestal only; Color: Bone		
346	Lavatory, Pedestal only; Color: White		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

347	Lavatory, Single Hole, Set with Pedestal (Long) complete with accessories; White color		
348	Liquid Asphalt		
349	Lock, Single Side Sliding Window Lock/Latch, Zinc Alloy, Color: White (As per sample)		
350	Lockset, Jimmy Proof , Vertical Deadbolt (Single Cylinder)		
351	Lumber, Kiln Dry Hard Wood, 1" x 1" x 8'		
352	Lumber, Kiln Dry Hard Wood, 1" x 2" x 8'		
353	Lumber, Kiln Dry Hard Wood, 1-1/2" x 2" x 8'		
354	Lumber, Kiln Dry Hard Wood, 1/2" x 2" x 8'		
355	Lumber, Kiln Dry Hard Wood, 1/4" x 2" x 8'		
356	Lumber, Kiln Dry Hard Wood, 1/4" x 1" x 8'		
357	Lumber, Kiln Dry Hard Wood, 2" x 2" x 8'		
358	Molding, Plastic, 1/2" x 1/2" x 8ft, White		
359	Molding, Plastic, 3/4" x 3/4" x 8ft, White		
360	Nail, Common 2"		
361	Nail, Common 3"		
362	Nail, Concrete 3"		
363	Nail, Finishing 1-1/2"		
364	Nail, Finishing 2"		
365	Nail, Finishing 3"		
366	Nut, Hexagonal, Stainless steel, 3/8", w/ flat & spring washer		
367	Nut, Flare, Brass, 1/2"Ø		
368	Nut, Flare, Brass, 3/4"Ø		
369	Nut, Flare, Brass, 5/8"Ø		
370	P-Trap & Pop-up drain w/ strainer, 1-1/4"; Stainless Steel		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

371	Padlock, Heavy Duty, 40mm.; Solid Brass Lock		
372	Padlock, Heavy Duty, 60mm.; Solid Brass Lock		
373	Penetrating Oil 380ml		
374	Pigtail, Copper w/ check valve (as per sample)		
375	Pipe, Stainless Steel, 1-1/2"Ø x 20 ft. x 1.2mm thk. #304		
376	Plug, Rubber, Heavy duty, Flat prong w/ ground		
377	Plywood, Marine, 1/2" x 4' x 8'		
378	Plywood, Marine, 1/4" x 4' x 8'		
379	Plywood, Marine, 3/4" x 4' x 8'		
380	Polituff with Hardener		
381	PPR, Adaptor with Female Thread, 20mm x 1/2"		
382	PPR, Adaptor with Female Thread, 32mm x 1"		
383	PPR, Adaptor with Male Thread, 20mm x 1/2"		
384	PPR, Adaptor with Male Thread, 32mm x 1"		
385	PPR, Adaptor with Male Thread, 63mm x 2"		
386	PPR, Adaptor with Male Thread, 90mm x 3"		
387	PPR, Elbow 90° with Female Thread, 20mm x 1/2"		
388	PPR, Elbow 90° with Female Thread, 32mm x 1"		
389	PPR, Elbow 90°, 20mm		
390	PPR, Elbow 90°, 25mm		
391	PPR, Elbow 90°, 32mm		
392	PPR, Elbow 90°, 40mm		
393	PPR, Elbow 90°, 90mm		
394	PPR, Endcap, 20mm		
395	PPR, Endcap, 32mm		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

396	PPR, Equal Tee 90°, 20mm		
397	PPR, Equal Tee 90°, 25mm		
398	PPR, Equal Tee 90°, 32mm		
399	PPR, Equal Tee 90°, 63mm		
400	PPR, Equal Tee 90°, 75mm		
401	PPR, Pipe PN 20, 4m., 20mm x 3.4mm t		
402	PPR, Pipe PN 20, 4m., 25mm x 4.2mm t		
403	PPR, Pipe PN 20, 4m., 32mm x 5.4mm t		
404	PPR, Pipe PN 20, 4m., 40mm x 6.7mm t		
405	PPR, Pipe PN 20, 4m., 50mm x 8.4mm t		
406	PPR, Pipe PN 20, 4m., 63mm x 10.5mm t		
407	PPR, Pipe PN 20, 4m., 90mm x 15mm t		
408	PPR, Reduction, Internal/External, 25mm x 20mm		
409	PPR, Reduction, Internal/External, 32mm x 20mm		
410	PPR, Reduction, Internal/External, 32mm x 25mm		
411	PPR, Reduction, Internal/External, 40mm x 20mm		
412	PPR, Reduction, Internal/External, 40mm x 32mm		
413	PPR, Reduction, Internal/External, 90mm x 75mm		
414	PPR, Socket, 20mm		
415	PPR, Socket, 25mm		
416	PPR, Socket, 32mm		
417	PPR, Socket, 40mm		
418	PPR, Socket, 50mm		
419	PPR, Socket, 63mm		
420	PPR, Socket, 90mm		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

421	PPR, Straight-way Valve, 20mm		
422	PPR, Straight-way Valve, 25mm		
423	PPR, Straight-way Valve, 32mm		
424	PPR, Straight-way Valve, 40mm		
425	PPR, Straight-way Valve, 63mm		
426	PPR, Straight-way Valve, 90mm		
427	PPR, Tee Reducer , 32mm x 20mm x 32mm		
428	PPR, Tee Reducer , 63mm x 32mm x 63mm		
429	PPR, Tee Reducer , 75mm x 32mm x 75mm		
430	PVC, Elbow 2"Ø x 90 deg.; Orange *		
431	PVC, Floor Flange w/ gasket screws		
432	PVC, Pipe 1"Ø; Sched. 40		
433	PVC, Pipe 1/2"Ø; Sched. 40		
434	PVC, Pipe 3/4"Ø; Sched. 40		
435	PVC, Solvent Cement 200cc		
436	PVC, Tee 1"Ø; Blue-Sched. 40		
437	PVC, Tee 1/2"Ø; Blue-Sched. 40		
438	Refrigerant 134a (13.6 kgs/cyl)		
439	Refrigerant 141B		
440	Refrigerant 22 (13.6 kgs/cyl)		
441	Rivets, 1/8" x 1/2"; 500 pcs./box		
442	Rod, Floor Welding, 4mm. thk.Ø x 100 meters, Color: Blue		
443	Rod, Floor Welding, 4mm. thk.Ø x 100 meters, Color: Light Gray		
444	Rod, Floor Welding, 4mm. thk.Ø x 100 meters, Color: White		
445	Rod, Floor Welding, 4mm. thk.Ø x 100 meters, Color: Beige		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

446	Rod, Full Thread, 3/8" x 10ft.		
447	Rod, Silver		
448	Rod, Welding, 6011 (20 kg/box)		
449	Roller, 7", Refill		
450	Roller, Baby, Cotton with handle		
451	Roller, Baby, Foam with handle		
452	Roller, Baby, Cotton-Refill		
453	Roller, Baby, Foam-Refill		
454	Roller, Handle Paint, Heavy Duty Frame, 7" w/ Threaded Grip for Extension Pole		
455	Roof Guard; Ivory		
456	Rust Converter		
457	Sand Paper #100		
458	Sand Paper #120		
459	Sand Paper #150		
460	Sand Paper #180		
461	Sand Paper #220		
462	Sand, Binistay (15kg/bag)		
463	Screw, Gypsum Board 1", self-drilling		
464	Screw, Gypsum Board 1", self-tapping		
465	Screw, Gypsum Board 1-1/2", self-drilling		
466	Screw, Gypsum Board 1-1/2", self-tapping		
467	Screw, Teks, 12 x 25, self-drilling		
468	Screw, Teks, 12 x 25, self-drilling		
469	Screw, Teks, 12 x 35, self-drilling		
470	Screw, Teks, 12 x 35, self-tapping		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

471	Sealant, Silicone-Construction Grade; brown		
472	Sealant, Silicone-Construction Grade; Clear		
473	Sealant, Silicone-Construction Grade; White		
474	Shower, Complete Set-Hot & Cold,lever type		
475	Shower, Gasket for Steam valve		
476	Shower, Handle- 4" cold faucet		
477	Shower, Handle- 4" hot faucet		
478	Shower, Stem Valve		
479	Soap Holder, Surface Mounted, Stainless Steel		
480	Spotlight, LED, MR16, 7W		
481	Studs, Metal, 35mm. x 102mm. x 0.8mm. x 3m.		
482	Studs, Metal, 35mm. x 76mm. x 0.8mm. x 3m.		
483	Switch, Single Pole, 16A, 240Vac, Modern series		
484	Switch, Single Pole, 16A, 240Vac, Wide series		
485	T-Runner, Aluminum/Powder coated white, 15/16" x 11/3" x 144"		
486	Tape, Electrical, PVC, Black, 0.15mm Thick, Temp. Rating: 90°C UL Listed		
487	Tape, Rubber, Black, 0.76mm Thick, Temp. Rating: 80°C UL Listed		
488	Tape, Barricade, Caution, 1.5mm x 500ft.		
489	Tape, Duct, Aluminum, 4" x 50 yards		
490	Tape, Duct, Multi-purpose, 3" x 50 yards (Gray)		
491	Tape, Masking 1" x 30m.		
492	Tape, Polyethylene , 4" x 50 yards (Blue)		
493	Tape, Teflon 3/4" x 10mtrs		
494	Tee, Equal, Copper, 1/2"Ø		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

495	Tee, Equal, Copper, 3/4"Ø		
496	Tee, Equal, Copper, 5/8"Ø		
497	Telephone Coil cord		
498	Telephone line cord (100ft./roll)		
499	Telephone, Modular Box		
500	Thermostat Control, Digital		
501	Thinner, Lacquer		
502	Tile, Grout; Beige, 2 kilos/pack		
503	Tile, Grout; Black, 2 kilos/pack		
504	Tile, Grout; Maroon, 2 kilos/pack		
505	Tile, Grout; White, 2 kilos/pack		
506	Tissue, Holder, Wall Mounted, 304 Stainless Steel		
507	Towel, Rack, Wall Mounted, 24" 304 Stainless Steel		
508	Tube, Copper, Hard Drawn, 1/2"Ø x 20ft, Type L		
509	Tube, Copper, Hard Drawn, 1/4"Ø x 20ft, Type L		
510	Tube, Copper, Hard Drawn, 3/4"Ø x 20ft, Type L		
511	Tube, Copper, Hard Drawn, 3/8"Ø x 20ft, Type L		
512	Tube, Copper, Hard Drawn, 5/8"Ø x 20ft, Type L		
513	Tube, Copper, Soft Drawn, 1/2"Ø x 50ft, Type L		
514	Tube, Copper, Soft Drawn, 1/4"Ø x 50ft, Type L		
515	Tube, Copper, Soft Drawn, 3/4"Ø x 50ft, Type L		
516	Tube, Copper, Soft Drawn, 3/8"Ø x 50ft, Type L		
517	Tube, Copper, Soft Drawn, 5/8"Ø x 50ft, Type L		
518	Tube, Copper, Soft Drawn, 7/8"Ø x 50ft, Type L		
519	V-belt, 9.5 x 1275		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

520	V-belt, A-26		
521	V-belt, A-28		
522	V-belt, A-31		
523	V-belt, A-32		
524	V-belt, A-34		
525	V-belt, A-38		
526	V-belt, A-39		
527	V-belt, A-40		
528	V-belt, A-41		
529	V-belt, A-42		
530	V-belt, A-43		
531	V-belt, A-44		
532	V-belt, A-45		
533	V-belt, A-46		
534	V-belt, A-48		
535	V-belt, B-34		
536	V-belt, B-36		
537	V-belt, B-37		
538	V-belt, B-38		
539	V-belt, B-39		
540	V-belt, B-40		
541	V-belt, B-42		
542	V-belt, B-43		
543	V-belt, B-46		
544	V-belt, B-47		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

545	V-belt, B-48		
546	V-belt, B-50		
547	Valve, Actuator, 2-Way, 3/4"Ø		
548	Valve, Ball 1"Ø		
549	Valve, Ball 1-1/2"Ø		
550	Valve, Ball 1/2"Ø		
551	Valve, Ball 3/4"Ø		
552	Valve, Check 1-1/2"Ø		
553	Valve, Check 2"Ø (spring type)		
554	Valve, Check 2"Ø (swing type)		
555	Valve, Gate 1"		
556	Valve, Gate 1/2"		
557	Water Closet, Flush valve type, Elongated; White color		
558	Water Closet, Flusher, Air Flush Valve 1.0 gpf/3.8 Lpf		
559	Water Closet, Flusher, Air Flush Valve 1.6 gpf/6.0 Lpf		
560	Water Closet, Piston Kit (1.0 GPF/3.8 LPF)		
561	Water Closet, Seat cover - Elongated; Beige		
562	Water Closet, Seat cover - Elongated; White		
563	Water Closet, Seat cover - Round; Beige		
564	Water Closet, Seat cover - Round; White		
565	Wheel, caster, roller bearing type, 8"Ø rubber tyre		
566	Wheel, caster, Twin, socket type, 2"Ø plastic tyre w/ brake, black		
567	Wheel, caster, Twin, socket type, 2"Ø plastic tyre w/o brake, black		
568	Wheel, castor, plate type, swivel w/ brake, ball bearing type, 3"Ø polyurethane type, steel wheel		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

569	Wheel, castor, plate type, swivel w/ brake, ball bearing type, 5"Ø polyurethane type, steel wheel		
570	Wheel, castor, plate type, swivel w/o brake, ball bearing type, 3"Ø polyurethane type, steel wheel		
571	Wheel, castor, plate type, swivel w/o brake, ball bearing type, 5"Ø polyurethane type, steel wheel		
572	Wheel, castor, post type, swivel w/ brake, ball bearing type, 3"Ø polyurethane type, steel wheel		
573	Wheel, castor, post type, swivel w/ brake, ball bearing type, 5"Ø polyurethane type, steel wheel		
574	Wheel, castor, post type, swivel w/o brake, ball bearing type, 3"Ø polyurethane type, steel wheel		
575	Wheel, castor, post type, swivel w/o brake, ball bearing type, 5"Ø polyurethane type, steel wheel		
576	Wire, Stranded, #10 AWG (5.5 mm ²) THHN x 150m, Black		
577	Wire, Stranded, #10 AWG (5.5 mm ²) THHN x 150m, Blue		
578	Wire, Stranded, #10 AWG (5.5 mm ²) THHN x 150m, Green		
579	Wire, Stranded, #10 AWG (5.5 mm ²) THHN x 150m, Red		
580	Wire, Stranded, #10 AWG (5.5 mm ²) THHN x 150m, White		
581	Wire, Stranded, #10 AWG (5.5 mm ²) THHN x 150m, Yellow		
582	Wire, Stranded, #12 AWG (3.5 mm ²) THHN x 150m, Black		
583	Wire, Stranded, #12 AWG (3.5 mm ²) THHN x 150m, Blue		
584	Wire, Stranded, #12 AWG (3.5 mm ²) THHN x 150m, Green		
585	Wire, Stranded, #12 AWG (3.5 mm ²) THHN x 150m, Red		
586	Wire, Stranded, #12 AWG (3.5 mm ²) THHN x 150m, White		
587	Wire, Stranded, #12 AWG (3.5 mm ²) THHN x 150m, Yellow		
588	Wire, Stranded, #6 AWG (14 mm ²) THHN x 150m, Black		
589	Wire, Stranded, #6 AWG (14 mm ²) THHN x 150m, Green		
590	Wire, Stranded, #6 AWG (14 mm ²) THHN x 150m, White		

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

591	Wire, Stranded, #6 AWG (14 mm ²) THHN x 150m, Yellow		
592	Wire, Stranded, #8 AWG (8 mm ²) THHN x 100m, Black		
593	Wire, Stranded, #8 AWG (8 mm ²) THHN x 100m, Green		
594	Wire, Stranded, #8 AWG (8 mm ²) THHN x 100m, White		
595	Wire, Stranded, #8 AWG (8 mm ²) THHN x 100m, Yellow		
596	Wire, Stranded, #1/0 AWG (50 mm ²) THHN, Green		
597	Wire, Stranded, #14 AWG (2.0 mm ²) THHN x 150m, Black		
598	Wire, Stranded, #14 AWG (2.0 mm ²) THHN x 150m, Blue		
599	Wire, Stranded, #14 AWG (2.0 mm ²) THHN x 150m, Green		
600	Wire, Stranded, #14 AWG (2.0 mm ²) THHN x 150m, Red		
601	Wire, Stranded, #14 AWG (2.0 mm ²) THHN x 150m, White		
602	Wire, Stranded, #14 AWG (2.0 mm ²) THHN x 150m, Yellow		
603	Wire, Stranded, #300MCM (150 mm ²) THHN, Blue		
604	Wire, Stranded, #300MCM (150 mm ²) THHN, Red		
605	Wire, Stranded, #300MCM (150 mm ²) THHN, White		
606	Wire, Stranded, #300MCM (150 mm ²) THHN, Yellow		
607	Wire, Stranded, #6 AWG (14 mm ²) THHN x 150m, Blue		
608	Wire, Stranded, #6 AWG (14 mm ²) THHN x 150m, Red		
609	Wire, Stranded, #8 AWG (8 mm ²) THHN x 100m, Blue		
610	Wire, Stranded, #8 AWG (8 mm ²) THHN x 100m, Red		
611	Wood Parquet Flooring Glue, 1kg/container		
612	Wood Parquet Flooring Glue, 250g/container		

TERMS OF REFERENCE

ENGINEERING SUPPLIES

1. SUPPLIER SPECIFICATION

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



The SUPPLIER/DISTRIBUTOR shall undertake to supply and deliver the Construction Supplies and material procured by NKTi in accordance with the technical specification of Construction Supplies and Materials sought to be procured and the general terms and condition.

- 1.1. The end-user has a right to refuse any deliveries which has damage/defects and not compliant to the approved specifications.
- 1.2. The following supplies, but not limited to paints, sealants, adhesive, solvents, thinners, grouts, cements, shall observe the following:
 - 1.2.1. From date of delivery to expiration date, supplies should have at least six (6) months shelf life.
 - 1.2.2. Labelling of the manufacturing and expiration dates must be visible and printed into the body/packaging of the products including the storage requirements.
- 1.3. SUPPLIER/DISTRIBUTOR, during the submission of bid or quotation, shall specify the brand of the items offered, or to submit sample of the items as maybe required to facilitate evaluation once notified. Submit sample within seven (7) working days from date of receipt of notice.
- 1.4 Unless otherwise designated, test in accordance with AASHTO, ASTM or other methods will be made by and at the expense of the SUPPLIER/DISTRIBUTOR. Samples will be taken by a qualified representative.

2. SUPPLIER/DISTRIBUTOR ELIGIBILITY

- 2.1 The Supplier/Distributor shall be responsible for processing of all permits and clearances necessary and pertinent papers appertaining to the supply and delivery of the Construction Supplies and Materials sought to be produced and transported.
- 2.2. The Supplier/Distributor must be in the business of General Merchandise or Hardware for the last three (3) years.
- 2.3 The Supplier/Distributor must secure from at least two (2) clients a Certificate of Satisfactory Performance bearing the client's logo and contact information excluding National Kidney and Transplant Institute.

3. DELIVERIES

All materials/products shall be handled in such manner as to preserve their quality and fitness for the use and shall be in the manufacturer's original packaging. The SUPPLIER/DISTRIBUTOR shall be responsible for all delivered materials and will make good any shortages and deficiencies from any cause whatsoever and for any damage which may occur after such delivery.

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



- 3.1. Ordering and delivery are based on PR/PO for three (3) months consumption (staggered delivery as per need arises).
- 3.2. All engineering supplies must be delivered according to materials approved specifications/brand/model. Substitution is not allowed.
- 3.2.1 All Suppliers and Contractors shall be responsible for the transport, carry, haul, and delivery of all supplies and materials to GSD Warehouse.
- 3.2.2 Provide lifters, push carts and ladders if necessary, including enough manpower.
- 3.2.3 Delivery of materials shall be allowed from Monday to Friday, 9:00am to 4:00pm. In case of non-acceptance of late or returned delivery, NKTi is not liable for any backload charges.
- Disapproved or rejected deliveries, shall be replaced within two (2) working days. Otherwise, it will be subjected to penalty.
- 3.3. Gravel or aggregate shall be transported from the storage site to the project in tight vehicles so constructed as to prevent loss or segregation of materials after loading and measuring in order that there may be no inconsistencies in the quantities of materials.

4. SUPPLIER/DISTRIBUTOR WARRANTIES

The SUPPLIER/DISTRIBUTOR warrants that all materials and parts as Construction Supplies and Materials are brand new, free from defects and strictly in accordance with the Technical Specification and essential technical performance characteristic of the Construction Supplies and Materials.

- 4.1. Warranty is applicable to the Engineering supplies, such as but not limited to the following:

Description	Shelf Life from date delivery	Description	Warranty Period
Paints (latex, oil-based, acrylic, alkyd, epoxy, etc.)	6 months	Faucet, Shower set, Flusher	1 year
Sealants, Contact Cement, Wood Glue, Fillers, etc.	1 year	Lockset and doorknobs	1 year
Epoxy (Marine, fiber joint cement)	6 months	Actuator Valve	1 year
Thinner (Paint, Lacquer)	1 year	Thermostat Control	1 year
Solvents	1 year	LED Bulbs and Lamps	At least 3 years

CONFORME:
(Company Name)
(Name and Signature of Authorized Representative)



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
 East Avenue, Quezon City 1100
 8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

Tile Adhesive, Cement	6 months	Fluorescent lamps	At least 1 year
-----------------------	----------	-------------------	-----------------

4.2. The SUPPLIER/DISTRIBUTOR shall undertake at their own expense all improvements and/or replacements of the construction supplies and materials manufactured or assembled which are found to be inferior or defective and which are brought to the attention on the SUPPLIER/DISTRIBUTOR.

4.3. In cases of 5% defects of the total quantity of delivered supplies is found to be defective and found to have functionality concern, End-user will provide Post Evaluation Report. The SUPPLIER/DISTRIBUTOR shall replace the total quantity delivered within five (5) calendar days from the discovery thereof.

5. TERMINATION

Gross violation of any provision of the contract is a ground for termination of the agreement.

We guarantee that we will submit sample within 3 calendar days upon notice from the BAC. Failure to submit within the prescribed period will automatically disqualify the bidder.

(NOTE: Submission of samples are no longer necessary if used by the end-user or otherwise specified by the end-user.)

(Upon receipt of notice, Lowest Calculated Bidder shall also submit clear copies of the colored picture and COMPLETE PRODUCT DATA SHEET [i.e., brochures, pamphlets, sales literature, documentation of standards of compliance, etc.], with the required specifications already highlighted, of the item proposed in A4 size photo paper indicating the brand name with reference number).

Conforme:

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

CONFORME:
<i>(Company Name)</i>
<i>(Name and Signature of Authorized Representative)</i>



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

Section VIII.

Revised Checklist of Technical and Financial Documents

NKTI Reference No. IB 21-082



Section VIII.

Revised Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
and
- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
and
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (f) Duly Notarized Statement of the bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Duly Notarized Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, **clear copy of brochures for all offered equipment**; if applicable; **and**
- (j) Original duly notarized and signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of



Republic of the Philippines
National Kidney and Transplant Institute
Bids and Awards Committee
East Avenue, Quezon City 1100
8981-0300 / 9881-0400 local 1156/1186
<http://www.nkti.gov.ph/>

Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (k) The Bidders's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission **(CY 2019 and 2020); and**
- (l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (n) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s)
(b.1) Price Schedule for Goods Offered from Abroad
(b.2) Price Schedule for Goods Offered from Within the Philippines
(b.3) Annex "A" Price Schedule