



National Kidney and Transplant Institute
Special Bids and Awards Committee
East Avenue, Quezon City 1100
981-0300 / 981-0400 local 1157
<http://www.nkti.gov.ph/>

SUPPLEMENTAL BID BULLETIN NO. 21-045-1

Supply and Delivery of Two (2) units Defibrillator, Bi Phasic

Bid Reference IB No. 21-045

This Supplemental Bid Bulletin No. 21-045-1 is being issued to clarify, modify and amend items/specifications in the Bidding Documents for the aforementioned project, to wit:

A. Changes in some items Technical Specifications

Particulars	Changes
Technical Specifications	Revised Technical Specification
Must not exceed 7 kgs without battery	Must not exceed 8 kgs without battery
Compatible with existing NKTi defibrillator cardioverter pacer unit	Compatible with existing NKTi defibrillator cardioverter pacer unit with or without adaptor
Bi-Phasic waveform defibrillation with less than 4 seconds to charge	Bi-Phasic waveform defibrillation with less than 5 seconds to charge
With external adult/pedia paddles, built-in 50mm ECG strip printer, with SPO2 pulse oximetry with at least three (3) reusable sensors (2 adult and 1 pedia) and compatible with disposable SPO2 sensor	With external adult/pedia paddles, built-in 50mm ECG strip printer roll type , with SPO2 pulse oximetry with at least three (3) reusable sensors (2 adult and 1 pedia) and compatible with disposable SPO2 sensor
	Please see attached Revised Technical Specification
FORMS	
Price Schedule	Please see attached Revised Price Schedule

This Supplemental Bid Bulletin including Annexes, if any, shall form part of the Bid Documents. Any provisions in the Bid Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For guidance and information of all concerned.

Issued this 17th day of February 2021 in Quezon City.

JOSEPH MICHAEL A. JARO, MD
SBAC Chairman



National Kidney and Transplant Institute
Special Bids and Awards Committee
 East Avenue, Quezon City 1100
 981-0300 / 981-0400 local 1156/1186
<http://www.nkti.gov.ph/>

Section VII.

Revised Technical Specifications

Instruction:

Bidders must state in the column provided either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

Item	Specification	Statement of Compliance
1	Supply and Delivery of Two (2) units Defibrillator, Bi Phasic	
	Must not exceed 8 kgs without battery	
	Compatible with existing NKTi defibrillator cardioverter pacer unit with or without adaptor	
	Bi-Phasic waveform defibrillation with less than 5 seconds to charge	
	With audible alarm on critical values for all parameters (high and low)	
	Defibrillator with Automated External Defibrillator (AED) MODE and manual MODE with voice prompt	
	With non-invasive pacing, ECG and arrhythmia monitoring, SPO2 pulse oximetry, 3 or 5-lead ECG	
	With non-invasive blood pressure monitoring, end-tidal CO2 for both intubated and non-intubated patients	
	With high resolution, Minimum of 5.5 inches TFT color LED/LCD Monitor	

	With external adult/pedia paddles, built-in 50mm ECG strip printer roll type, with SPO2 pulse oximetry with at least three (3) reusable sensors (2 adult and 1 pedia) and compatible with disposable SPO2 sensor	
	With 3 or 5-lead ECG cable, non-invasive pacing therapy capability	
	Electrical supply: 220 VAC \pm 10%, Single phase with 60Hz OR Autovolt with GND	
	With built-in rechargeable lithium ion or nickel battery with at least four (4) hours capacity on full monitoring good for at least twenty (20) successive defibrillator maximum bi-phasic shocks	
	With medical grade or OEM trolley with basket for accessories, powder coated steel table stand with secure anchoring system clip or bolt, with at least (5) five Polyurethane caster wheels, with at least two (2) wheels with brake	
	OTHER REQUIREMENTS:	
	ECG Paper: at least five (5) 50mm rolls per unit	
	At least five (5) sets of disposable transcutaneous pads per unit	
	At least six (6) SPO2 adult disposable sensors per unit	
Conforme:		
Name: _____		
Legal Capacity: _____		
Signature: _____		
Duly authorized to sign the Bid for and behalf of: _____		

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project IB No. _____ Page ____ of ____

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col. 4 x 8)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____